

**Urinary Tract Infections / Baytril in the Treatment of UTI /
Antimicrobial Spectrum**

Baytril demonstrates excellent activity against the relevant Gram-negative and Gram-positive uropathogens, as well as mycoplasmas.

Comparative efficacy of Baytril® vs. other commonly-used antibacterial agents (in vitro)							
	Staphylo- coccus	Escherichia coli	Klebsiella	Pasteurella	Proteus	Pseudo- monas	Mycoplasma
Baytril	●●●	●●●	●●●	●●●	●●●	●●●	●●●
Amoxicillin	•	•	-	●●●	●●	-	-
Amoxi-Clav.	●●●	●●	●●	●●●	●●	-	-
Cephalexin	●●●	●●	●●	●●●	●●	-	-
Gentamicin	●●●	●●●	●●	●●●	●●●	●●	-
Amikacin	●●●	●●●	●●●	●●●	●●●	●●●	-
potentiated Trimethoprim	●●	●●	•	●●●	•	-	-
Erythromycin	●●	-	-	-	-	-	-
Clindamycin	●●	-	-	-	-	-	-
●●● = excellent ●● = good • = fair - = none							

*Aucoin DP, TARGET Programme 1993. (4)

References:

(4) Aucoin DP: TARGET, the antimicrobial reference guide to effective treatment. North American Compendiums Inc., 1993.